


HAZARD RATING:
 4 - SEVERE
 3 - SERIOUS
 2 - MODERATE
 1 - SLIGHT
 0 - MINIMAL



MATERIAL SAFETY DATA SHEET

Product Name: *Blue-J Formula*

Product No: BLUEJ

SECTION I: Manufacturer Information

Manufacturer:	M.D. Stetson Company, Inc,	Emergency Telephone:	1-800-535-5053
Address:	92 York Avenue	Date Prepared:	12/07/2011
	Randolph, MA 02368	Supersedes Date:	03/29/2001
Telephone:	781-986-6161	Prepared by:	Gene M. Ricciardelli

SECTION II: Ingredients/Identity Information

Components	CAS Number	%	OSHA PEL	ACGIH TLV
Capryloamphodipropionate	68815-55-4	1.5	200ppm	250ppm
C-9 to C-11 ethoxylated alcoholol	68439-46-3	2.5	N/E	N/E

Fragrance: Methyl salicylate

SARA Section 313 Toxic Chemicals: None

SECTION III: Physical/Chemical Characteristics

Boiling Point:	About 212°F	Vapor Pressure:	17mm @ 60°F
Specific Gravity:	1.010 g/ml	Vapor Density:	Heavier than air
Solubility in Water:	Complete	Evaporation Rate:	Like water
Appearance/Odor:	Transparent Blue liquid with mint odor	pH:	8.5
		Volatile Organic:	0%

SECTION IV: Fire and Explosion Hazard Data

Flash Point:	None	Extinguishing Media:	Water-based, will not burn.
Upper Flammable Limits:	N/A	Special Fire Fighting Procedures:	None
Lower Flammable Limits:	N/A	Unusual Fire & Explosion Hazards:	None

SECTION V: Reactivity Data

Stability: Stable **Conditions to Avoid:** Add only water to this product.
Incompatibility (materials to avoid): Do not mix with strong oxidizing agents.
Hazardous Decomposition or Byproducts: None known
Hazardous Polymerization: Will not occur **Conditions to Avoid:** None known

N/A - Not Applicable N/E - Not Established N/D - Not Determined ca. - Approximately

MATERIAL SAFETY DATA SHEET - Page 2

Product Name: *Blue-J Formula*

Product Number: BLUEJ

SECTION VI: Health Hazard Data/First Aid Procedures

Route(s) of Entry: Eyes? Yes Skin? Yes Ingestion? Yes Inhalation? Yes

Health Hazards (Acute and Chronic): No toxicity data available for this formulation.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Signs and Symptoms of Exposure May cause eye irritation. Ingestion LD50 greater than 2g/kg causes gastric upset. Inhaling mist will irritate mucous membranes.

Medical Conditions Generally Aggravated by Exposure: Existing dermatitis

Eyes: Flush with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Emergency First Aid Procedures

Skin: Flush and wash with warm water. Remove contaminated clothing. Get medical attention if irritation persists.

Ingestion: Drink 2 glasses (16 oz.) of water. Seek medical attention.

Inhalation: Remove to fresh air. Get medical attention if symptoms persist.

SECTION VII: Precautions for Safe Handling and Use

Handling and Storage: Store at ambient room temperature. Keep out of reach of children.

Release or Spill: Small: absorb and rinse with plenty of water. Large: absorb and contain. Do not let large amounts into sewers or open bodies of water. Collect for disposal.

Waste Disposal: Dispose materials in accordance with all local, state and federal regulations.

SECTION VIII: Control and Protection Measures

Respiratory Protection: None required.

Ventilation: Use with normal ventilation.

Protective Gloves: None required

Eye Protection: Wear ANSI approved safety goggles.

Other Protective Clothing/Equipment: None required.

Work/Hygienic Practices: None required.

SECTION IX: Transportation (DOT Classification)

DOT Classification: Non-hazardous material. Classification not required

Identification: None required

Special Provisions for Transport: None required

SECTION X: Other Regulatory Controls

None

N/A - Not Applicable N/E - Not Established N/D - Not Determined ca. - Approximately