


HAZARD RATING:

4 - SEVERE
 3 - SERIOUS
 2 - MODERATE
 1 - SLIGHT
 0 - MINIMAL

**MATERIAL SAFETY DATA SHEET**Name: **Speed Clean Plus**Product Number: **SPEED.5****SECTION I: Manufacturer Information**

Manufacturer: M.D. Stetson Company, Inc.

Emergency Telephone: **1-800-535-5053**Address: 92 York Avenue
Randolph, MA 02368

Date Prepared: 06/02/04

Supersedes Date: 5/6/99

Telephone: 781-986-6161

Preparer: Jay C. Chapin

SECTION II: Hazardous Ingredients/Identity Information

Components	CAS Number	Percent	OSHA PEL	ACGIH TLV
Ethylene glycol monobutyl ether (EGBE)	111-76-2	20%	25ppm (skin)	25ppm

SARA Section 313 Toxic Chemicals Ethylene glycol monobutyl ether 111-76-2

SECTION III: Physical/Chemical Characteristics

Boiling Point:	ca. 212°F	Vapor Pressure:	N/D	pH:	8.9
Specific Gravity:	1.020 g/ml	Vapor Density:	N/D		
Solubility in Water:	Complete	Evaporation Rate:	Greater than air		
Volatile Organic %:	4.2%	Appearance and Odor:	Clear blue liquid with floral odor.		

SECTION IV: Fire and Explosion Hazard Data

Flash Point: N/D Flammable Limits: Lower N/D
 Upper N/D
 Extinguishing Media: Water, CO₂, alcohol foam.
 Special Fire Fighting Procedures: None
 Unusual Fire and Explosion Hazards: Burning containers produce carbon dioxide and carbon monoxide

SECTION V: Reactivity Data**Stability:**

- Unstable
 Stable

Conditions to Avoid: Do not mix with products.

Incompatibility (materials to avoid): Oxidizers, acids and chlorine bleach.

Hazardous Decomposition or Byproducts: None known

Hazardous Polymerization:

- May Occur
 Will Not Occur

Conditions to Avoid: None known

N/A - Not Applicable

N/E - Not Established

N/D - Not Determined

ca. - Approximately

MATERIAL SAFETY DATA SHEET - Page 2

Product Name: **Speed Clean Plus**

Number: **SPEED.5**

SECTION VI: Health Hazard Data/First Aid Procedures

Routes of Exposure: Inhalation Eyes Skin Ingestion

Signs and Symptoms of Exposure

Acute: Causes burning of eyes. Sever skin irritant. Toxic if inhaled, ingested or absorbed through the skin. Oral LD₅₀ is (0.5-3)g/kg; dermal LD₅₀ is 0.4g/kg for EGBE.

Chronic: No adverse effects anticipated for EGBE.

Carcinogenicity: NTP No IARC Monographs No OSHA Regulated No

Medical Conditions Generally Aggravated by Exposure: Existing dermatitis

Emergency First Aid Procedures

Inhalation: Remove to fresh air. Give artificial respiration if not breathing. Get medical attention.

Eyes: Flush with plenty of water for at least 15 minutes. Remove contaminated clothing and wash before reuse. Get medical attention if irritation persists.

Skin: Flush and wash with warm water. Remove contaminated clothing.

Ingestion: Drink 2 glasses (16 oz.) of water. Do not induce vomiting. Get medical attention. Use gastric lavage after endotracheal intubation. Never give anything to an unconscious person.

SECTION VII: Precautions for Safe Handling and Use

Handling and Storage: Store at ambient room temperature. Keep out of reach of children.

Release or Spill: Small: Dispose of in approved sewage. Large: Collect and contain. Do not release product into drains/bodies of water.

Waste Disposal: Dispose of in accordance to local, state and federal regulations.

SECTION VIII: Control and Protection Measures

Respiratory Protection: Good ventilation required, otherwise use NIOSH approved respirator.

Ventilation: Use with good ventilation.

Protective Gloves: Rubber gloves.

Eye Protection: Wear ANSI approved safety goggles.

Other Protective Clothing or Equipment: Wear chemical approved apron.

Work/Hygienic Practices: None required.

SECTION IX: Transportation (DOT Classification)

Hazard Class: Not DOT regulated.

Number:

SECTION X: Other Regulatory Controls

None

N/A - Not Applicable

N/E - Not Established

N/D - Not Determined

ca. - Approximately