

PRODUCT CENTRAL

122 OXY-DIS

EPA Reg. No. 84198-1-1674

TECHNICAL DATA

◆◆◆ DISINFECTANT ◆◆◆ CLEANER ◆◆◆

Product Central 122 OXY-DIS is for use as a Cleaner, Disinfectant, Fungicide, and Virucide.

Disinfectant: OXY-DIS at a dilution of 10 oz. of concentrate per gallon of water is effective against *Pseudomonas Aeruginosa*, *Staphylococcus Aureus*, *Salmonella Enterica*, *Streptococcus Pneumoniae*, *Escherichia Coli*, *Staphylococcus Aureus* - MRSA, & *Staphylococcus aureus* CA-MRSA (USA400) in the presence of 200 ppm hard water, 5% soil load and a 10 minute contact time on hard, non-porous, inanimate surfaces.

Fungicidal: OXY-DIS at a dilution of 10 oz. of concentrate per gallon of water is effective against *Trichophyton mentagrophytes* in the presence of 200 ppm hard water, 5% soil load, and a 10 minute contact time on hard, non-porous, inanimate surfaces.

†Virucidal: OXY-DIS at a dilution of 10 oz. of concentrate per gallon of water is effective against Influenza Type A [Hong Kong] and Respiratory Syncytial Virus (RSV) in the presence of 200 ppm hard water, 5% soil load and a 10 minute contact time on hard, non-porous, inanimate surfaces.

OXY-DIS Kills HIV-1 at 5 oz. of concentrate per gallon of water in the presence of 200 ppm hard water on hard, non-porous, inanimate surfaces with a 5 minute contact time.

***KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of bodily fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of OXY-DIS.

Contact Time: Allow surface to remain wet for 5 minutes to kill HIV-1. Use a 10 minute contact time for all other organisms claimed.

Disposal of Infectious Material: Blood/body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

FIRST AID: If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. If contact lenses are present, remove after the first 5 minutes, then continue rinse. Call a poison control center or doctor for treatment advice. **If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. **If on Skin or Clothing:** Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. **Have the product container or label with you when calling a poison control center or doctor, or going for treatment.**

SAFETY PRECAUTIONS: Wear protective gloves and safety goggles when handling this or any other cleaning product.

WARNING: KEEP OUT OF THE REACH OF CHILDREN. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or face shield when handling product concentrate such as when making use dilutions. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Causes moderate eye irritation.

Note: After OXY-DIS is diluted in accordance with the directions for use, safety glasses and goggles are not required. OXY-DIS, after dilution in accordance with the directions for use, is non-irritating.



SPECIFICATIONS	
Dilution	High Flow 1:256
	Low Flow 1:13
Yield/cartridge	High Flow 128 gal.
	Low Flow 5 gal.
pH @ ½ oz./gal.	2.0 - 3.0
Color	Yellow
Odor	Fresh clean
Weight per gallon	8.73 lbs.
Packaging	½ gallon cartridge
Shelf Life	1 year